Contents

Volume 101 1987

ESSAY IN DEVELOPMENT

Akam, M.
The molecular basis for metameric pattern in *Drosophila* embryo 1

CONTRIBUTED PAPERS

Jones, E. A. and Woodland, H. R.
The development of animal cap cells in *Xenopus*: the effects of environment on the differentiation and the migration of grafted ectodermal cells 23

Geysen, J., Cardoen, J. and De Loof, A.
Distribution of yolk polypeptides in the follicle cells during the differentiation of the follicular epithelium in *Sarcophaga bullata* egg follicles 33

Kessel, J. and Fabian, B.
Inhibitory and stimulatory influences on mesodermal erythropoiesis in the early chick blastoderm 45

Gaunt, S. J.
Homoeobox gene *Hox-1.5* expression in mouse embryos: earliest detection by *in situ* hybridization is during gastrulation 51

Ylikomi, T., Gasc, J.-M., Tuohimaa, P. and Baulieu, E.-E.
Ontogeny of oestrogen-sensitive mesenchymal cells in the bursa of Fabricius of the chick embryo. An immunohistochemical study on progesterone receptor 61

Nagy, A., Páldi, A., Dezso, L., Varga, L. and Magyar, A.
Prenatal fate of parthenogenetic cells in mouse aggregation chimaeras 67

Smith, E. P., Sadler, T. W. and D'Ercole, A. J.
Somatomedins/insulin-like growth factors, their receptors and binding proteins are present during mouse embryogenesis 73

Brower, D. L.
Ultrabithorax gene expression in *Drosophila* imaginal discs and larval nervous system 83

Condie, B. G. and Harland, R. M.
Posterior expression of a homeobox gene in early *Xenopus* embryos 93

Ruzdijic, S. and Pederson, T.
Evidence for an association between U1 RNA and interspersed repeat single-copy RNAs in the cytoplasm of sea urchin eggs 107

Casanova, J. and White, R. A. H.
Trans-regulatory functions in the *Abdominal-B* gene of the bithorax complex 117

Harris, W. A., Holt, C. E. and Bonhoeffer, F.
Retinal axons with and without their somata, growing to and arborizing in the tectum of *Xenopus* embryos: a time-lapse video study of single fibres *in vivo* 123

Tiong, S. Y. K., Whittle, J. R. S. and Gribbin, M. C.
Chromosomal continuity in the abdominal region of the bithorax complex of *Drosophila* is not essential for its contribution to metameric identity 135

Cockroft, D. L. and Gardner, R. L.
Clonal analysis of the developmental potential of 6th and 7th day visceral endoderm cells in the mouse 143

Hughes, S. M. and Raff, M. C.
An inducer protein may control the timing of fate switching in a bipotential glial progenitor cell in rat optic nerve 157

Noguchi, T., Fukumoto, H., Mishina, Y. and Obinata, M.
Factors controlling induction of commitment of murine erythroleukemia (TSA8) cells to CFU-E (colony forming unit – erythroid) 169

Beck, F., Samani, N. J., Penschow, J. D., Thorley, B., Tregear, G. W. and Coghlan, J. P.
Histochemical localization of IGF-I and -II mRNA in the developing rat embryo 175

ESSAY IN DEVELOPMENT

Davies, A. M.
Molecular and cellular aspects of patterning sensory neurone connections in the vertebrate nervous system 185

CONTRIBUTED PAPERS

Ginsburg, M. and Eyal-Giladi, H.
Primordial germ cells of the young chick blastoderm originate from the central zone of the area pellucida irrespective of the embryo-forming process 209

Campbell, G. L. and Shelton, P. M. J.
Cell behaviour during postembryonic pattern regulation in the insect abdomen (*Oncopeltus fasciatus*). I. Regeneration of segment borders 221

Campbell, G. L.
Cell behaviour during postembryonic pattern regulation in the insect abdomen (*Oncopeltus fasciatus*). II. Intrasegmental regulation 237

Lunn, E. R., Scourfield, J., Keynes, R. J. and Stern, C. D.
The neural tube origin of ventral root sheath cells in the chick embryo 247

Anstrom, J. A., Chin, J. E., Leaf, D. S., Parks, A. L. and Raff, R. A.
Localization and expression of mspl30, a primary mesenchyme lineage-specific cell surface protein of the sea urchin embryo 255

Griffin, K. J. P., Fekete, D. M. and Carlson, B. M.
A monoclonal antibody stains myogenic cells in regenerating newt muscle 267

Bohrmann, J. and Gutzeit, H.
Evidence against electrophoresis as the principal mode of protein transport in vitellogenic ovarian follicles of *Drosophila* 279

Thesleff, I., Mackie, E., Vainio, S. and Chiquet-Ehrismann, R.
Changes in the distribution of tenascin during tooth development 289

Decker, G. L., Morrill, J. B. and Lennarz, W. J.
Characterization of sea urchin primary mesenchyme cells and spicules during biomineralization *in vitro* 297

Breen, E. J., Vardy, P. H. and Williams, K. L.
Movement of the multicellular slug stage of *Dictyostelium discoideum*: an analytical approach 313

Becker, D. L. and Cook, J. E.
Initial disorder and secondary retinotopic refinement of regenerating axons in the optic tract of the goldfish: signs of a new role for axon collateral loss 323

Symes, K. and Smith, J. C.
Gastrulation movements provide an early marker of mesoderm induction in *Xenopus laevis* 339

Myers, C. M. and Ball, E. E.
Comparative development of the extensor and flexor tibiae muscles in the legs of the locust, *Locusta migratoria* 351

Wood, A. and Thorogood, P.
An ultrastructural and morphometric analysis of an *in vivo* contact guidance system 363

Kaufman, M. H. and Speirs, S.
The postimplantation development of spontaneous digynic triploid embryos in LT/Sv strain mice 383

Mohun, T. J. and Garret, N.
An amphibian cytoskeletal-type actin gene is expressed exclusively in muscle tissue 393

Mystkowska, E. T. and Sawicki, W.
Modification of cell division by phorbol ester in preimplantation mouse embryos 403

ESSAY IN DEVELOPMENT

Price, J.
Retroviruses and the study of cell lineage 409

CONTRIBUTED PAPERS

Mlodzik, M. and Gehring, W. J.
Hierarchy of the genetic interactions that specify the anteroposterior segmentation pattern of the *Drosophila* embryo as monitored by caudal protein expression 421

Katula, K. S., Hough-Evans, B. R., Britten, R. J. and Davidson, E. H.
Ontogenic expression of a *CyI* actin fusion gene injected into sea urchin eggs 437

Buehr, M., Lee, S., McLaren, A. and Warner, A.
Reduced gap junctional communication is associated with the lethal condition characteristic of DDK mouse eggs fertilized by foreign sperm 449

Duband, J.-L. and Thiery, J. P.
Distribution of laminin and collagens during avian neural crest development 461

Gierer, A.
Directional cues for growing axons forming the retinotectal projection 479

Nogawa, H. and Nakanishi, Y.
Mechanical aspects of the mesenchymal influence on epithelial branching morphogenesis of mouse salivary gland 491

Todt, W. L. and Fallon, J. F.
Posterior apical ectodermal ridge removal in the chick wing bud triggers a series of events resulting in defective anterior pattern formation 501

Martins-Green, M. and Erickson, C. A.
Basal lamina is not a barrier to neural crest cell emigration: documentation by TEM and by immunofluorescent and immunogold labelling 517

Tucker, R. P. and Matus, A. I.
Developmental regulation of two microtubule-associated proteins (MAP2 and MAP5) in the embryonic avian retina 535

Bard, J. B. L. and Kratochwil, K.
Corneal morphogenesis in the Mov13 mutant mouse is characterized by normal cellular organization but disordered and thin collagen 547

Jones, E. A. and Woodland, H. R.
The development of animal cap cells in *Xenopus*: a measure of the start of animal cap competence to form mesoderm 557

Chisholm, J. C. and Houliston, E.
Cytokeratin filament assembly in the preimplantation mouse embryo 565

Boudjelida, H. and Muntz, L.
Multinucleation during myogenesis of the myotome of *Xenopus laevis*: a qualitative study 583

Kuhn, K. L., Percy, J., Laurel, M. and Kalthoff, K.
Instability of the anteroposterior axis in *spontaneous double abdomen* (*sda9*), a genetic variant of *Chironomus samoensis* (Diptera, Chironomidae) 591

Doherty, P., Mann, D. A. and Walsh, F. S.
Cell–cell interactions modulate the responsiveness of PC12 cells to nerve growth factor 605

Vidal, S., Raynaud, B., Clarous, D. and Weber, M. J.
Neurotransmitter plasticity of cultured sympathetic neurones. Are the effects of muscle-conditioned medium reversible? 617

Lawson, K. A. and Pedersen, R. A.
Cell fate, morphogenetic movement and population kinetics of embryonic endoderm at the time of germ layer formation in the mouse 627

GENERAL INTEREST PAPER

Gerhart, J. C.
The epigenetic nature of vertebrate development: an interview of Pieter D. Nieuwkoop on the occasion of his 70th birthday 653

CONTRIBUTED PAPERS

McCarthy, R. A. and Burger, M. M.
In vivo embryonic expression of laminin and its involvement in cell shape change in the sea urchin *Sphaerechinus granularis* 659

Merrifield, P. A. and Konigsberg, I. R.
Nerve-dependent accumulation of myosin light chain 3 in developing limb musculature 673

Walter, J., Kern-Veits, B., Huf, J., Stolze, B. and Bonhoeffer, F.
Recognition of position-specific properties of tectal cell membranes by retinal axons *in vitro* 685

Godement, P., Vanselow, J., Thanos, S. and Bonhoeffer, F.
A study in developing visual systems with a new method of staining neurones and their processes in fixed tissue 697

Abbadie, C., Boucher, D., Charlemagne, J. and Lacroix, J. C.
Immunolocalization of three oocyte nuclear proteins during oogenesis and embryogenesis in *Pleurodeles* 715

Crittenden, S. L., Pratt, R. S., Cook, J. H., Balsamo, J. and Lilien, J.
Immunologically unique and common domains within a family of proteins related to the retina Ca^{2+}-dependent cell adhesion molecule, NcalCAM 729

Crawford, D. R. and Richter, J. D.
An RNA-binding protein from *Xenopus* oocytes is associated with specific message sequences 741

Tomlinson, C. R., Beach, R. L. and Jeffery, W. R.
Differential expression of a muscle actin gene in muscle cell lineages of ascidian embryos 751

Maxwell, G. D. and Forbes, M. E.
Exogenous basement-membrane-like matrix stimulates adrenergic development in avian neural crest cultures 767

Tesařík, J., Kopečný, V., Plachot, M. and Mandelbaum, J.
High-resolution autoradiographic localization of DNA-containing sites and RNA synthesis in developing nucleoli of human preimplantation embryos: a new concept of embryonic nucleologenesis 777

Schofield, P. N. and Tate, V. E.
Regulation of human IGF-II transcription in fetal and adult tissues 793

Cirotto, C., Panara, F. and Arangi, I.
The minor haemoglobins of primitive and definitive erythrocytes of the chicken embryo. Evidence for haemoglobin L 805

Walmsley, M. E. and Patient, R. K.
Highly efficient β globin transcription in the absence of both a viral enhancer and erythroid factors 815

Dreyer, C.
Differential accumulation of oocyte nuclear proteins by embryonic nuclei of *Xenopus* 829

Ellis, D. K., Carr, A. and de Pomerai, D. I.
$pp60^{c\text{-}src}$ expression in transdifferentiating cultures of embryonic chick neural retina cells 847

Guillery, R. W., Jeffery, G. and Cattanach, B. M.
Abnormally high variability in the uncrossed retinofugal pathway of mice with albino mosaicism 857

Straznicky, C. and McCart, R.
The effects of tectal lesion on the survival of isthmic neurones in *Xenopus* 869

Taylor, K. D. and Pikó, L.
Patterns of mRNA prevalence and expression of B1 and B2 transcripts in early mouse embryos 877

Cooke, J., Smith, J. C., Smith, E. J. and Yaqoob, M.
The organization of mesodermal pattern in *Xenopus laevis*: experiments using a *Xenopus* mesoderm-inducing factor 893

Walter, J., Henke-Fahle, S. and Bonhoeffer, F.
Avoidance of posterior tectal membranes by temporal retinal axons 909

Howlett, S. K., Barton, S. C. and Surani, M. A.
Nuclear cytoplasmic interactions following nuclear transplantation in mouse embryos 915

Woodland, H. R. and Jones, E. A.
The development of an assay to detect mRNAs that affect early development 925

Bownes, M., Scott, A. and Blair, M.
The use of an inhibitor of protein synthesis to investigate the roles of ecdysteroids and sex-determination genes on the expression of the genes encoding the *Drosophila* yolk proteins 931

Index of Authors and Titles 943

Subject Index 949